

# Smart Interactive Display

MW3555-T-Y



## Specifications

Model	MW3555-T-Y
Display	
Screen Size	55 inches
Backlight	DLED
Pixel Pitch(mm)	0.105(H)x 0.315(V)
Resolution	3840*2160
Brightness(cd/m <sup>2</sup> )	350
Contrast	5000:1
Refresh Rate	60Hz
Response Time(ms)	8
Aspect Ratio	16:9
Color	10 Bit
Viewing Angle	Horizontal 178°, Vertical 178°
View Area(W*H)	1209.6 (H)x680.4 (V)
Android System	
RAM	8G
ROM	128G
CPU	A73*4(2.2GHZ)+ A53*4(2.0GHZ)
GPU	8*G52
OS	Android 13.0
Touch	
Sensing Type	Infrared Touch Frame, support 20 touch points

Glass	4mm tempered glass, level 7 on Mohs hardness scale, anti-glare
Touch Accuracy (mm)	±1
Response Time (ms)	≤10
Recognizable object (mm)	2
Touchscreen input	Opaque objects (e.g. finger, pen, etc.)
Support System	Windows10/Windows8/Windows7/Windows XP/Android/Linux/Mac OS X/Chrome
Interface	
Front interface	3* USB3.0、1* Type C、1* Touch USB、1* HDMI in
Rear interface	1* RJ45 IN、1* DP IN、2*HDMI IN、1* RS232、2*USB 2.0、2*USB 3.0、1*TYPE C、1*MIC IN、1*HDMI OUT、1*RJ45 OUT、1* OPTICAL OUT&SPDIF、2*TOUCH、1*TF、1*USB 2.0 OTG、1*Line OUT
Default System Language	
System Language	English、Chinese、 Multi Language Support
Camera & Microphone	
Pixel	48MP Android: Pixel 8MP for Photos & 8MP for Video Windows: Pixel 48MP for Photos & 12MP for Video
Microphone array	8
Pickup distance	8
Smart function	Auto Framing; Speaker Tracking;
Speaker	
Speaker	2*10W
Channel	2.0
NFC	
NFC	Support screen mirroring by Android phones
Bluetooth	
Version	5.0
WIFI	
Version	Wifi : 802.11 b/g/n AP : 802.11 a/b/g/n/ac
Working Frequency	2.4GHz/5GHz
Working Distance(m)	0~12
General	
Power Supply	AC90V to AC264V
Overall power consumption (W)	≤190(without OPS)
Consumption(W)	≤0.5(Standby)
Operation Temperature	0℃~40℃
Operating Humidity	10%~80% (No Condensation)
Storage Temperature	-20~60℃
Storage Humidity	10%~90%(No-condensing)

Net Weight	24.3KG
Gross Weight	29KG
Product Size(W*H*D) (mm)	1259.8MM*789.71MM*84.8MM
Packing Size(W*H*D)(mm)	1350MM*190MM*890MM
Accessory	
Standard	2*Touch Pen、1*Wall Mount、1*power cord、1*quick guide、1*Remote control、

## Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com;globalsupport@uniview.com

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.