

# 19 Inch Monitor

MW3219-P



## Features


- True color display
- Resolution is up to at 1366\*768
- Wide view of field:178° (H)/ 178° (V)
- Specific menu design, which is simple to operate
- Support 7\*24 working and lower power consumption
- Adaptively recognize signal
- VESA stand bracket
- Support multiply language

## Specifications


Panel	Description
Panel Type	LED Backlight
Panel Size	18.5

Pixel Pitch (H*V) (mm)	0.3*0.3
Resolution	1366*768
Ratio	16:9
Color Support	16.7M
Brightness (cd/m <sup>2</sup> )	240
Color bit	8
Contrast Ratio	600: 1
Refresh Rate	60Hz
Response Time (ms)	5
Viewing Angle (H/V)	45° /45° (CR≥10) 25° /40° (CR≥10)
Display size (mm)	409.8x230.4
Operation Hour	24/7
Interface	Description
Video Input	1* VGA、1* HDMI
General	Description
Input Voltage	DC 12V, 2A
Typical power consumption (W)	12.73
Standby power consumption (W)	≤0.3 (Standby)
Product Dimensions (W*H*D) (mm)	447*276*46 (No Pedestal) 447*351*200 (With Pedestal)
Package Dimensions (W*H*D) (mm)	486*93*374
Weight (Kg)	Net Weight:2 Gross Weight:3
Operation Temperature	0° C ~ 40 ° C
Operating Humidity	5%~95% (No Condensation)
Storage Temperature	-10° C ~ 50° C
Altitude	≤5000m

## Dimensions



## Interface



### Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2023 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.