

# 24" LED Monitor

MW-LC24-P



## Features

- True color display and perfect color reproduction
- Wide viewing angle:178(H)/ 178(V)
- No color shift from any view angle
- Specific menu design, which is simple to operate
- Support7\*24working and lower power consumption
- Adaptively recognize signal
- VESA stand bracket

## Specifications


Panel	Description
Backlight	ELED
Panel Size	24"
Pixel Pitch (H x V) (mm)	0.2745 x 0.2745

Resolution	1920 x 1080
Color Support	16.7 M
Brightness (cd/m <sup>2</sup> )	250
Contrast Ratio	1300:1
Refresh Rate	60 Hz (Typ.) 100 Hz (Max.)
Response Time (ms)	8
Viewing Angle (H/V)	Horizontal 178°, Vertical 178°
Display Size (mm)	527.04 x 296.46
Operation Hour	24/7
<b>Interface</b>	Description
Video Input	1 x VGA (MAX 1920*1080@60HZ ), 1 x HDMI
<b>VESA</b>	Description
VESA (mm)	100 x 100
Wall-mounted Thread	M4*10
<b>OSD</b>	Description
Multi-Language	English, German, French, Spanish, Italian, Dutch, Simplified Chinese, Japanese, Korean, Danish, Portuguese, Turkish, Russian, Arabic, Traditional Chinese
<b>General</b>	Description
Input Voltage	DC 12 V, 2 A
Typical Power Consumption (W)	≤24
Standby Power Consumption (W)	≤0.5
Product Dimensions (W x H x D) (mm)	540.4 x 325.3 x 51.7 (Without Pedestal)
Package Dimensions (W x H x D) (mm)	601 x 400 x 145
Weight (Kg)	Net Weight: 2.9 Gross Weight: 4.5
Operating Temperature	0°C ~ 40°C
Operating Humidity	10% ~ 90% (No Condensation)
Storage Temperature	-10°C ~ 50°C
Storage Humidity	5% ~ 90% (No Condensation)


Standard

HDMI Cable, Power Cable, Pedestal, Quick Guide

## Dimensions



## Interface



## Ordering Info

Product Model	Description
MW-LC24-P	24" LED Monitor

### Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

 Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)
<http://www.uniview.com>

©2023-2024 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

\*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.